



This drg is confidential and the property of M/S MICROTEx ENERGY PVT. LTD.BENGALURU And is issued to you on the condition that no further disclosure is made by you without the written authorisation from M/S MICROTEx ENERGY PVT. LTD.BENGALURU



**TRAY FOR 24V 225Ah**

**NOTES :-**


- a) Material :- Mild Steel
- b) Tray Shall Be Painted With Approved Colour **Black** (Pure Polyester Powder Coating)



**CONNECTION LAYOUT FOR 24V 225Ah**

**NOTES :-**

- a) Battery Dim.(Max) : **645 L x 196 W x 530/570 H (mm)**
- b) Cell Dim : 61 L x 158 W x 513/543 H (mm)
- c) Cell type : 3 MIPzB 225 (Weld On type)
- d) Cell Height : 513 mm Up To Lid Top
- e) Cable Details : Both pos.& Neg.takeoff terminal will have **25 sq.mm** cable of **1.5 meter** length & Cable Ends will be connected to **Round Pin Twin Socket Type 80A, 150V/DC**

REV.	DATE	DESCRIPTION				INITIALS
MATERIAL:-	2018	NAME	SIGN	DATE	Title :-	<b>MICROTEx</b> MICROTEx ENERGY (P) LTD BENGALURU - 58
-----	DRN	SB				
FINISH:-	CHD	PA			<b>Traction Battery  Layout &amp; Tray For  24V 225Ah  (3MIPzB 225 Cell)</b>	 DRG. NO.:- ME - 13B - 1369
Smooth	APPD	RB				
DRG.UNIT:-	From	Up To	G. Tol	From	Up To	G. Tol
MM.	0	2	±0.1	40	200	±2
NOT TO SCALE	2	10	±0.5	200	1000	±4
	10	40	±1.0	1000	Above	±5
REV						